

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

Ser. No. 10614861

PATENT NO. : 6,981,066 B2

Page 1 of 1

DATED : 27 December 2005

INVENTOR(S) : Yasuo INOUE

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Column</u>	<u>Line</u>	
1	37	Change "controll r" to --controller--.
3	28	Change "th" to --the--.
4	64	Change "th" to --the--.
5	22	Change "Th" to --The--.
5	23	Change "th" to --the--.
5	49	Change "acc ss" to --access--.
6	10	Change "lin s" to --lines--.
6	36	Change "pr sent" to --present--.
7	45	Change "unit" to --system--.

### MAILING ADDRESS OF SENDER:

Patent No.: 6,981,066 B2

David J. Zibelli  
KENYON & KENYON LLP  
1500 K Street, N.W., Suite 700  
Washington, DC 20005

OCT 12 2005



UNITED STATES PATENT AND TRADEMARK OFFICE

---

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date Mailed : January 26, 2007

Patent No. : 6,981,066 B2  
Inventor : Inoue, Yasuo  
Patent Issued : December 27, 2005  
Title : EXTERNAL STORAGE SUBSYSTEM  
Docket No. : 29284/596

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Inspection of the file of the application for the patent reveals that the specification is/are printed in accordance with the record in the Patent and Trademark Office, as passed to issue by the examiner. The errors are found in the specification as supplied by the Applicant. There being no fault on the part of the Patent and Trademark Office, it has no authority to issue a certificate of correction under the provision of 1.322.

In view of the foregoing, your request for certificate of correction is hereby denied. However, further consideration will be given these matters, upon receipt of a request for certificate of correction under the provisions of 1.323, accompanied by the appropriate fee which is presently \$100.

Future correspondence concerning this matter should be filed and directed to Decisions & Certificates of Correction Branch.

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Attn: Certificates of Correction Branch

David Irvine  
Cecilia Newman, Supervisor  
Decisions & Certificates of Correction Branch  
703/308-9590 or 703/305-4362 (Fax 571/270-9806)

David J. Zibelli  
Kenyon & Kenyon  
1500 K Street N.W. – Suite 700  
Washington, D.C. 20005

CBN/ di